

PANORAMICA GENERALE 1/3

101**Raccordo a T**

Ø17,2 Ø21,3 Ø26,9
Ø33,7 Ø42,4 Ø48,3
Ø60,3

104**Raccordo a T**

Ø17,2 Ø26,9 Ø33,7 Ø
42,4 Ø48,3 Ø60,3

116**Raccordo ad angolo**

Ø17,2 Ø21,3 Ø26,9
Ø33,7 Ø42,4 Ø48,3
Ø60,3

116-V**Raccordo ad angolo**

Ø48,3

119**Raccordo a croce**

Ø21,3 Ø26,9 Ø33,7 Ø
42,4 Ø48,3 Ø60,3

119-V**Raccordo a croce**

Ø48,3

123**Curva (40-70°)**

Ø33,7 Ø42,4 Ø48,3

124**Curva (15-60°)**

Ø33,7 Ø42,4 Ø48,3

125**Curva 90°**

Ø17,2 Ø21,3 Ø26,9
Ø33,7 Ø42,4 Ø48,3
Ø60,3

125H**Raccordo ad angolo**

Ø33,7 Ø42,4 Ø48,3

126**Raccordo a croce (30-45°)**

Ø42,4 Ø48,3

127**Raccordo a T (30-45°)**

Ø33,7 Ø42,4 Ø48,3

128**Raccordo ad angolo**

Ø17,2 Ø21,3 Ø26,9 Ø
33,7 Ø42,4 Ø48,3
Ø60,3

129**Raccordo a T (30-60°)**

Ø26,9 Ø33,7 Ø42,4
Ø48,3

130**Raccordo a croce (30-45°)**

Ø33,7 Ø42,4 Ø48,3

131**Supporto da parete**

Ø21,3 Ø26,9 Ø33,7
Ø42,4 Ø48,3 Ø60,3

131T**Supporto da parete**

Ø33,7 Ø42,4 Ø48,3
Ø60,3

131TX**Supporto da parete**

Ø21,3 Ø26,9 Ø33,7

131KF**Supporto da parete**

Ø48,3

132**Supporto da parete**

Ø17,2 Ø26,9 Ø33,7 Ø
42,4 Ø48,3 Ø60,3

132KF**Supporto da parete**

Ø42,4

134**Supporto da parete**

Ø33,7 Ø42,4 Ø48,3

135**Raccordo a T**

Ø26,9 Ø33,7 Ø42,4
Ø48,3 Ø60,3

136**Raccordo a T**

Ø33,7 Ø42,4 Ø48,3

137**Raccordo a croce**

Ø33,7 Ø42,4 Ø48,3



138**Anello di arresto/ Collare**

Ø26,9 Ø33,7 Ø42,4
Ø48,3

140**Anello di arresto/ Collare**

Ø26,9 Ø33,7 Ø42,4
Ø48,3

PANORAMICA GENERALE 2/3

143 Supporto per corrimano  $\varnothing 17,2 \varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	143W Supporto per corrimano  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	144 Supporto da parete  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	145 Supporto da parete  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	146 Supporto da parete  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	147 Raccordo girevole  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	148 Snodo / Raccordo snodato  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	149 Raccordo di collegamento / Manicotto  $\varnothing 17,2 \varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	150 Raccordo di collegamento / Manicotto  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3$
152 Piastra di base (3-11°)  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	153 Raccordo a T (0-11°)  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	154 Curva (0-11°)  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	155 Raccordo a T (0-11°)  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	156 Raccordo a croce (0-11°)  $\varnothing 33,7 \varnothing 42,4 \varnothing 48,3$	158 Raccordo a croce  $\varnothing 21,3 \varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	160 Raccordo a croce  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	161 Raccordo a croce  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	165 Raccordo a croce  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$
167 Snodo / Raccordo snodato  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	167M Snodo / Raccordo snodato  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	168 Snodo / Raccordo snodato  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	168M Snodo / Raccordo snodato  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	169 Piede snodato  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	169M Snodo / Raccordo snodato  <i>Gelenk geeignet für A27, B34, C42, D48, E60</i>	170 Supporto per griglia  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	171 Supporto per griglia  $\varnothing 26,9 \varnothing 33,7 \varnothing 42,4 \varnothing 48,3 \varnothing 60,3$	172M Occhiello snodato  $\varnothing 48,3$

PANORAMICA GENERALE 3/3

173

Snodo / Raccordo
snodato

Ø 17,2 Ø 26,9 Ø 33,7
Ø 42,4 Ø 48,3 Ø 60,3

173F

Snodo /
Raccordo snodato

Ø 26,9 Ø 33,7 Ø 42,4
Ø 48,3 Ø 60,3

173M

Snodo / Raccordo
snodato

Ø 26,9 Ø 33,7 Ø 42,4
Ø 48,3 Ø 60,3

176

Raccordo a T



Ø 21,3 Ø 26,9 Ø 33,7
Ø 42,4 Ø 48,3 Ø 60,3

179

Anello di arresto /
Collare

Ø 26,9 Ø 33,7 Ø 42,4
Ø 48,3 Ø 60,3

182

Anello di arresto /
Collare

Ø 17,2 Ø 26,9 Ø 33,7
Ø 42,4 Ø 48,3 Ø 60,3

182T

Anello di arresto /
Collare

Ø 26,9 Ø 33,7 Ø 42,4
Ø 48,3

184

Tappo
lamellare

Ø 17,2 Ø 26,9 Ø 33,7
Ø 42,4 Ø 48,3 Ø 60,3

185

Raccordo di colmo



Ø 26,9 Ø 42,4 Ø 48,3

191

Raccordo di colmo



Ø 26,9 Ø 42,4 Ø 48,3

198


Anello di fissaggio



Ø 26,9 Ø 33,7 Ø 42,4
Ø 48,3

199

Anello di fissaggio



Ø 17,2 Ø 26,9 Ø 33,7
Ø 42,4 Ø 48,3

201

Raccordo a croce



Ø 48,3

246

Supporto da parete



Ø 33,7 Ø 42,4 Ø 48,3

247

Supporto da parete



Ø 42,4 Ø 48,3

255

Raccordo a T (11-29°)



Ø 48,3

256

Raccordo a T (11-29°)



Ø 48,3

300

Viti autofilettanti



S17 / T21 / A27 / B34
C42 / D48 / E60

DIAMETRI DIVERSI

301

Chiave
esagonale

S17 / T21 / A27 / B34
C42 / D48 / E60

101 (X/Y)

Raccordo a T



Ø 33,7 / 26,9 Ø 33,7 / 42,4
Ø 42,4 / 33,7 Ø 42,4 / 48,3
Ø 48,3 / 33,7 Ø 48,3 / 42,4
Ø 60,3 / 48,3

119 (X/Y)

Raccordo a croce



Ø 48,3 / 42,4

125 (X/Y)

Curva 90°



Ø 48,3 / 42,4

149 (X/Y)

Raccordo di
collegamento

Ø 33,7 / 26,9

161 (X/Y)

Raccordo a croce



Ø 42,4 / 33,7 Ø 48,3 / 33,7
Ø 48,3 / 42,4 Ø 60,3 / 48,3